

## **SAFETY DATA SHEET (SDS)**

| Supplier Name                                                                                |                                                       |
|----------------------------------------------------------------------------------------------|-------------------------------------------------------|
| Costa Lambrianos Group<br>Unit G1, Gewel Street, Isando<br>Business Park, Kempton Park, 1600 | Telephone: +27 011 315 3402<br>Email: sales@c-l.co.za |
| Product Code                                                                                 | Product Description                                   |
| 00179                                                                                        | INTERLUDE MAXBURST 6000 GENTLE BABY 250ML             |
| 00649                                                                                        | INTERLUDE MAXBURST 6000 DOVE 250ML                    |
| 00959                                                                                        | INTERLUDE MAXBURST 6000 AMORE 250ML                   |
| 00960                                                                                        | INTERLUDE MAXBURST 6000 DEVOTIONS 250ML               |
| 00961                                                                                        | INTERLUDE MAXBURST 6000 NIGHT SHIFT 250ML             |
| 00962                                                                                        | INTERLUDE MAXBURST 6000 ORCHARD DEW 250ML             |
| 00964                                                                                        | INTERLUDE MAXBURST 6000 BLUE SAVANNAH 250ML           |
| 01110                                                                                        | INTERLUDE MAXBURST 6000vJASMINE RAYNE 250ML           |
| 01112                                                                                        | INTERLUDE MAXBURST 6000 MARINE 250ML                  |
| <b>Manufacturing Name:</b>                                                                   | Maxburst Air freshener                                |
| <b>Chemical description:</b>                                                                 | Metered 6000 Burst aerosol fragranced can.            |

## **SAFETY DATA SHEET**

REVISION DATE: 30 June 2026

### **1. IDENTIFICATION**

- 1.1** Product identifier  
Product Name: Max Burst Air Freshener – 3000 & 6000
- 1.2** Relevant identified uses of the substance or mixture and uses advised against  
Identified uses Air Freshener
- 1.3** Supplier details  
CLG  
Unit G1, Gewel Street,  
Isando Business Park,  
Kempton Park
- 1.4** Emergency telephone number  
Tel: +27 (0) 61 195 6795

### **2. HAZARDS IDENTIFICATION**

- 2.1.** Classification of the substance or mixture  
Classification  
Physical hazards Aerosol 1 - H222, H229  
Health hazards Serious eye irritation, Category 2
- 2.2** Label elements  
Hazard pictograms (GHS-ZA)
- 

- Signal word (GHS-ZA) Danger
- Hazard statements (GHS-ZA)  
H222 – Extremely flammable aerosol  
H225 – Highly flammable liquid & vapor  
H229 – Pressurized container. May burst if heated  
H319 – Causes eye irritation
- Precautionary statements (GHS-ZA)  
P102 – Keep out of reach of children.  
P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 – Do not spray on an open flame or other ignition source.  
P251 – Do not pierce or burn, even after use.  
P264 – Wash skin thoroughly after handling  
P301+P310 – If swallowed: Immediately call a Poison Center or doctor / physician  
P303+ P361+P353 If on skin or hair remove/ take off immediately all contaminated clothing. Rinse skin with water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P101 – If medical advice is needed, have product container or label at hand  
P410+P412 – Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
P501 – Dispose of contents/container in accordance with local regulations.
- 2.3** Other Hazards

**Note:** This Safety Data Sheet (SDS) remains valid for a period of five (5) years from the revision date, provided no changes have been made to the product formulation or applicable regulatory requirements.

## **SAFETY DATA SHEET**

REVISION DATE: 30 June 2026

None identified

### **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Description: Liquid solvent, with hydrocarbon propellant.

Hazardous Components:

| Chemical Name                  | CAS no                       | Approx % | Hazard Statements | Precautionary Statements                       |
|--------------------------------|------------------------------|----------|-------------------|------------------------------------------------|
| Solvent                        | 64-17-5                      | 20 – 30  | H225, H319        | P210, P264, P301+P310, P303+P361+P353          |
| Parfum                         | Proprietary                  | < 10     |                   |                                                |
| Hydrocarbon Aerosol Propellant | 106-97-8 / 75-28-5 / 74-98-6 | 60 – 80  | H229              | P210, P211, P251, P377, P381, P410, P412, P501 |

### **4. FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**Eye contact:** If liquid has entered the eyes, proceed as follows. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

**Skin contact:** Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

**Inhalation:** Keep affected person away from heat, sparks and flames. Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.

**Ingestion:** If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

#### 4.2. Most important symptoms and effects, both acute and delayed

See section 2.2 and/or 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **5. FIRE FIGHTING MEASURES**

#### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Risk of explosion if heated. Containers can burst violently or explode when heated, due to excessive pressure build-up

#### 5.3. Advice for firefighters

**Protective actions while firefighting:** Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

### **6. ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Environmental precautions

**Note:** This Safety Data Sheet (SDS) remains valid for a period of five (5) years from the revision date, provided no changes have been made to the product formulation or applicable regulatory requirements.

## **SAFETY DATA SHEET**

REVISION DATE: 30 June 2026

No additional information available

### 6.3. Methods and material for containment and cleaning up

For containment

Collect spillage.

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet..

Other information

Dispose of materials or solid residues at an authorized site.

## **7. HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Usage precautions:

Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

Storage class

Flammable compressed gas storage.

## **8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

### 8.1. Control parameters

Occupational exposure limits

BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

ISOBUTANE

Long-term exposure limit (8-hour TWA): OES 800 ppm

Short-term exposure limit (15-minute): OES 800 ppm

WEL = Workplace Exposure Limit

### 8.2. Exposure controls:

Protective equipment



Engineering controls:

Provide adequate general and local exhaust ventilation

Eye/face protection:

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Rubber (natural, latex).

Other protection:

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact

Hygiene measures:

Use engineering controls to reduce air contamination to permissible exposure level. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke

## **SAFETY DATA SHEET**

REVISION DATE: 30 June 2026

Respiratory protection: No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

### **9. PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1. Information on basic physical and chemical properties
- |                                                 |                                               |
|-------------------------------------------------|-----------------------------------------------|
| Physical state                                  | : Liquid                                      |
| Appearance                                      | : Clear colorless liquid                      |
| Colour                                          | : Clear colorless liquid                      |
| Odour                                           | : No data available                           |
| Odour threshold                                 | : No data available                           |
| pH                                              | : No data available                           |
| pH solution                                     | : No data available                           |
| Relative evaporation rate (butylacetate=1)      | : No data available                           |
| Relative evaporation rate (ether=1)             | : No data available                           |
| Melting point                                   | : Not applicable                              |
| Freezing point                                  | : No data available                           |
| Boiling point                                   | : No data available                           |
| Flash point                                     | : No data available                           |
| Auto-ignition temperature                       | : No data available                           |
| Decomposition temperature                       | : No data available                           |
| Flammability (solid, gas)                       | : No data available                           |
| Vapour pressure                                 | : No data available                           |
| Vapour pressure at 50 °C                        | : No data available                           |
| Relative vapour density at 20 °C                | : No data available                           |
| Relative density                                | : No data available                           |
| Relative density of saturated gas/air mixture   | : No data available                           |
| Density                                         | : No data available                           |
| Relative gas density                            | : No data available                           |
| Solubility                                      | : No data available                           |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                           |
| Partition coefficient n-octanol/water (Log Kow) | : No data available                           |
| Viscosity, kinematic                            | : No data available                           |
| Viscosity, dynamic                              | : No data available                           |
| Explosive properties                            | : Pressurized container: May burst if heated. |
| Oxidizing properties                            | : No data available                           |
| Explosive limits                                | : No data available                           |
| Lower explosive limit (LEL)                     | : No data available                           |
| Upper explosive limit (UEL)                     | : No data available                           |
| Neurotoxicity                                   | : No data available                           |
- 9.2. Other information
- |                           |                   |
|---------------------------|-------------------|
| Volatile organic compound | No data available |
|---------------------------|-------------------|

### **10. STABILITY AND REACTIVITY**

- |                                          |                                                                                              |
|------------------------------------------|----------------------------------------------------------------------------------------------|
| 10.1. Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport |
| 10.2. Chemical stability                 | Stable at normal ambient temperatures.                                                       |
| 10.3. Possibility of hazardous reactions | None detected                                                                                |
| 10.4. Conditions to avoid:               | Avoid heat, flames and other sources of ignition.                                            |
| 10.5. Incompatible materials:            | None detected                                                                                |
| 10.6. Hazardous decomposition products:  | Incomplete combustion can generate carbon monoxide and carbon dioxide                        |

**Note:** This Safety Data Sheet (SDS) remains valid for a period of five (5) years from the revision date, provided no changes have been made to the product formulation or applicable regulatory requirements.

## **SAFETY DATA SHEET**

REVISION DATE: 30 June 2026

10.7 Thermal decomposition: None detected

### **11. TOXICOLOGICAL INFORMATION:**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

Product:

Acute oral toxicity: LD50 (Rat): >15400 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity: LD50 (Rabbit): >2000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Mutagenicity : Not classified  
Chronic toxicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

### **12. ECOLOGICAL INFORMATION:**

Ecotoxicity The product is not expected to be hazardous to the environment. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

#### 12.1. Toxicity :

Toxicity to fish: LC50 (Oryzias Laptipes): 0.42mg/l Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): > 200 mg/l Exposure time: 48 h  
Toxicity to algae: Growth inhibition NOEC – Pseudokirchneriella subcapitata: 5.8mg/l Exposure time: 72 h

12.2. Persistence and degradability: No data available  
12.3. Bioaccumulative potential: No data available  
12.4. Mobility in soil: No data available  
12.5. Results of PBT and vPvB assessment: No data available  
12.6. Other adverse effects: No data available

### **13. DISPOSAL CONSIDERATION**

#### 13.1. Waste treatment methods

Disposal methods: Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Offer surplus and non-recyclable

## **SAFETY DATA SHEET**

REVISION DATE: 30 June 2026

solutions to a licensed disposal company. Disposed of contaminated packaging as unused product.

### **14. TRANSPORT INFORMATION**

In accordance with SANS / IMDG / IATA

#### **14.1. UN number**

UN-No.(SANS) : 1950  
UN-No. (IMDG) : 1950  
UN-No. (IATA) : 1950

#### **14.2. Proper Shipping Name**

Proper Shipping Name (SANS) : AEROSOLS  
Proper Shipping Name (IMDG) : AEROSOLS  
Proper Shipping Name (IATA) : Aerosols, flammable

#### **14.3. Transport hazard class(es)**

##### **SANS**

Transport hazard class(es) (SANS) : 2.1  
Danger labels (SANS) : 2.1



##### **IMDG**

Transport hazard class(es) (IMDG) : 2.1  
Danger labels (IMDG) : 2.1



##### **IATA**

Transport hazard class(es) (IATA) : 2.1  
Danger labels (IATA) : 2.1



#### **14.4. Packing group**

Packing group (SANS) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable

#### **14.5. Environmental hazards**

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

#### **14.6. Special precautions for user**

EmS: F-D, S-U  
ADR transport category: 2  
Tunnel restriction code: (D)

#### **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

### **15. REGULATORY INFORMATION**

15.1. Safety, health, and environmental national regulations specific for the product



Product: Max Burst 3000 & 6000 Air Freshener

Revision Number: 1

Date Issued: 03/07/2026

Page 7 of 7

## **SAFETY DATA SHEET**

REVISION DATE: 30 June 2026

Regulatory reference :SANS 10234:2008; SANS 11014:2010; SANS 10228:2012;SANS 10229:2010; SANS 10232(1,2,4), SANS 10231:2018; Occupational Health and Safety Act 85 of 1993; National Road Traffic Act 93 of 1996.

### **16. OTHER INFORMATION**

Precautionary Note: All information supplied is based on current information available. Data is to the best of our knowledge correct – we cannot be held responsible in the event of misuse or abuse of this material as conditions of use are beyond our control.

**Note:** This Safety Data Sheet (SDS) remains valid for a period of five (5) years from the revision date, provided no changes have been made to the product formulation or applicable regulatory requirements.